LPA-069

Log Periodic Antenna



DESCRIPTION

The LPA-069 is a log periodic antenna operating within frequencies from 600 to 9000 MHz.

Designed for cellular, PCS, LTE, 4G LTE and Wifi / WiMAX bands, this handheld antenna covers L/S/C/X with flat 6 dBi of gain.

The switchable vertical and horizontal log periodic antenna is equipped with a high strength, low-loss plastic molded radome and rotating pistol grip.

The LPA-0618 is ideal for direction finding systems and ultra-wideband spectrum monitoring.

Operational Temp. -67°F to +185°F (-55°C to +85°C)



SPECIFICATIONS

ELECTRICAL		MECHANICAL	
Frequency Band	600 MHz to 9000 MHz	Weight	< 1 lbs (< 0.45 kg)
VSWR	< 4.5 : 1	Dimensions	5.5" Dia. x 7.5" H
Polarization	Vertical or Horizontal, Linear		(13.5 cm Dia. x 19 cm H)
	Slant, Linear at 45°	Mounting	Handheld Pistol Grip
Gain	+6 dBi		¼-20 Threaded Mount
Power	10 Watts CW	Finish (Default)	PMS 442 (Light Gray)
Ground Plane	Ground Plane Independent		
Connector	Type N Female	MODEL NUMBERS	
		Black Color	LPA-069-B
ENVIRONMENTAL		Tan 686A Color	LPA-069-T
Shock	MILSTD 810F, 20G		
Vibration	RTCA/DO-160	RELATED PRODUCTS	

600 MHz to 18 GHz LPA-0618